

	<b>Type</b>	<b>Hits</b>	<b>Search Text</b>
<b>1</b>	<b>BRS</b>	<b>7</b>	<b>(subject near table) and (transition near table) and trigger\$4</b>
<b>2</b>	<b>BRS</b>	<b>10</b>	<b>((subject or base) near table) and (transition near table) and trigger\$4</b>
<b>3</b>	<b>BRS</b>	<b>2</b>	<b>S2 and (parallel near process\$4)</b>
<b>4</b>	<b>BRS</b>	<b>5</b>	<b>"1111516" and EP</b>
<b>5</b>	<b>BRS</b>	<b>2</b>	<b>"6374236".pn.</b>

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

trigger event and transition table in a parallel p

[Search](#)[Advanced Search](#)  
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 1 - 10 of about 2,200,000 for **trigger event and transition table in a parallel processing enviro****Scholarly articles for trigger event and transition table in a parallel processing environment**[Optimized Implementation of Distributed Real-Time ...](#) - by Pernet - 4 citations[Self-adaptive software for signal processing](#) - by Sztipanovits - 42 citations[A simple multiprocessor management system for ...](#) - by Bracker - 57 citations**[PDF] A Parallel and Distributed Architecture for a Massive Data ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)MCS works as a distributed **parallel** application in which **processing** entities interact ... for each relevant **Trigger**, the **Transition** and Guard actions, ...[www.haifa.ibm.com/projects/software/mcs/papers/mcs\\_hpcc2006.pdf](http://www.haifa.ibm.com/projects/software/mcs/papers/mcs_hpcc2006.pdf) - [Similar pages](#)**IEC: Distributed Network Intelligence**In an application program or a transaction-**processing environment**, ... Rather than performing **event-trigger** registration with the state engine, ...[www.iec.org/online/tutorials/dist\\_net/topic05.html](http://www.iec.org/online/tutorials/dist_net/topic05.html) - 34k - [Cached](#) - [Similar pages](#)**Department of Computer and Information Science and Engineering**014: **Parallel Rule Processing** in a Distributed Object **Environment** ... **Trigger** predicates could be **transition** predicates referring to the attribute values of ...[www.cise.ufl.edu/tech\\_reports/tr99/](http://www.cise.ufl.edu/tech_reports/tr99/) - 57k - [Cached](#) - [Similar pages](#)**\$44 Billion Spent on CRM in 2000 – and Customer Relationship ...**Intelligent **processing** in the real-time **environment** to look only at the data required by ...**Trigger** historical **events**: Within the initialization database, ...[www.dmreview.com/article\\_sub.cfm?articleId=3695](http://www.dmreview.com/article_sub.cfm?articleId=3695) - 52k - [Cached](#) - [Similar pages](#)**ANSDIT - The letter "T"**where I(y) is the information content of the **event** y. ... **transition**:: In data communications, a transient phenomenon separating two successive signal ...[www.incits.org/tc\\_home/k5htm/t2.htm](http://www.incits.org/tc_home/k5htm/t2.htm) - 41k - [Cached](#) - [Similar pages](#)**Runtime Environment for Dynamic Reconfiguration**A **transition** rule is a Boolean equation composed of **event** variables. ... modules and **tables** for direct download into the **parallel** array of processors. ...[www.isis.vanderbilt.edu/projects/acs/Papers/ECBS99\\_sent.htm](http://www.isis.vanderbilt.edu/projects/acs/Papers/ECBS99_sent.htm) - 43k -[Cached](#) - [Similar pages](#)**Computing Performance Bounds of Fork-Join Parallel Programs Under ...**A **parallel** program arrives to the multiprocessing computing **environment** with mean ...That is, the system will make a **transition** back to one of the **trigger** ...[doi.ieeecomputersociety.org/10.1109/71.674321](http://doi.ieeecomputersociety.org/10.1109/71.674321) - [Similar pages](#)**[PDF] LNCS 3811 - A Lightweight Model-Driven Orchestration Engine for e ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)source state target state **transition** ac-. tion. guards. **trigger events** ... actiongroup **tables**.Figure 4 shows the classes involved in **processing** of action ...[www.infosys.tuwien.ac.at/.../A%20Lightweight%20Model-Driven%20Orchestration%](http://www.infosys.tuwien.ac.at/.../A%20Lightweight%20Model-Driven%20Orchestration%20)

20Engine%20for%20e-services.pdf - [Similar pages](#)

[\[PDF\] The Architecture of the ZEUS Second Level Global Track Trigger GTT](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**parallel** and on-the-fly **processing** with transputers (TP). The First Level **Trigger** (FLT)

system is designed to start. **trigger processing** of a new **event** at ...

[www-zeus.desy.de/components/gtt/GTT/Conferences/IEEE03/rt03-sd-procs.pdf](http://www-zeus.desy.de/components/gtt/GTT/Conferences/IEEE03/rt03-sd-procs.pdf) -

[Similar pages](#)

[\[PDF\] Optimized Implementation of Distributed Real-Time Embedded Systems ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

missing column in the **table** 1. graphical/textual. textual. negated **trigger event**. -. timeout

**event**. -. timed **transition**. -. disjunction of **trigger events** ...

[www-rocq.inria.fr/syndex/pub/caine03/caine03.pdf](http://www-rocq.inria.fr/syndex/pub/caine03/caine03.pdf) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page:    1   2   3   4   5   6   7   8   9   10    [Next](#)

Free! Speed up the web. [Download the Google Web Accelerator.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

trigger and transition table in a parallel proces

[Search](#)[Advanced Search](#)  
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web Results 1 - 10** of about **2,800,000** for **trigger and transition table in a parallel processing environment****Scholarly articles for trigger and transition table in a parallel processing environment**[Production rules in parallel and distributed database ...](#) - by Ceri - 36 citations[Performance Analysis Tools for Parallel Java ...](#) - by Guitart - 9 citations[The Data-parallel Categorical Abstract Machine](#) - by Hains - 24 citations**Contents**Creating a view over a single **table** using iSeries Navigator · Creating a view combining data ... Handlers in SQL triggers · SQL **trigger transition tables** ...[as400bks.rochester.ibm.com/iseri/v5r2/ic2924/info/sqlp/rbafymst02.htm](#) - 42k -[Cached](#) - [Similar pages](#)**Ceri, S.; Widom, J.: Production Rules in Parallel and Distributed ...**Let **table** *tm* be rule *r*'s **trigger table**, and suppose *r* is triggered and considered during rule **processing** in the non-fragmented **environment**. ...[dbpubs.stanford.edu/pub/1992-7-70k](#) - [Cached](#) - [Similar pages](#)**[PDF] Production Rules in Parallel and Distributed Database Environments**File Format: PDF/Adobe Acrobat - [View as HTML](#)Let **table** *t*, be rule *r*'s **trigger. table**, and suppose *r* is triggered and considered dur-. ing rule **processing** in the non-fragmented **environment**. ...[www.vldb.org/conf/1992/P339.PDF](#) - [Similar pages](#)**Department of Computer and Information Science and Engineering**014: **Parallel Rule Processing** in a Distributed Object **Environment** ... **Trigger** predicates could be **transition** predicates referring to the attribute values of ...[www.cise.ufl.edu/tech\\_reports/tr99/](#) - 57k - [Cached](#) - [Similar pages](#)**Contents**Example: Creating a **table** (INVENTORY\_LIST) using Operations Navigator ... SQL **trigger transition tables** · System triggers · System **trigger** example program ...[publib.boulder.ibm.com/iseri/v5r1/ic2924/info/sqlp/rbafymst02.htm](#) - 43k -[Cached](#) - [Similar pages](#)**Transaction Processing Performance Council**The TPC results would not provide the answer, but would act as a **trigger** to ... Interest in commercial applications for **parallel processing** has grown during ...[www.tpc.org/information/other/articles/TopTen.asp](#) - 29k - [Cached](#) - [Similar pages](#)**Runtime Environment for Dynamic Reconfiguration**These tools are currently used to construct large-scale, **parallel**, real-time signal **processing** systems. The runtime **environment** enabled development of ...[www.isis.vanderbilt.edu/projects/acs/Papers/ECBS99\\_sent.htm](#) - 43k -[Cached](#) - [Similar pages](#)**[PDF] Uniform Execution Environment for Dynamic Reconfiguration**File Format: PDF/Adobe Acrobat - [View as HTML](#)**parallel**, real-time signal **processing** systems. The runtime. **environment** enabled ... modules and **tables** for direct download into the **parallel** array ...

[www.isis.vanderbilt.edu/publications/archive/Bapty\\_T\\_3\\_0\\_1999\\_Uniform\\_Ex.PDF](http://www.isis.vanderbilt.edu/publications/archive/Bapty_T_3_0_1999_Uniform_Ex.PDF) -  
[Similar pages](#)  
[\[ More results from www.isis.vanderbilt.edu \]](#)

# Computing Performance Bounds of Fork-Join **Parallel** Programs Under ...

A **parallel** program arrives to the multiprocessing computing **environment** with mean ...

That is, the system will make a **transition** back to one of the **trigger** ...

[doi.ieeecomputersociety.org/10.1109/71.674321](http://doi.ieeecomputersociety.org/10.1109/71.674321) - [Similar pages](#)

## [PDF] The Architecture of the ZEUS Second Level Global Track **Trigger** GTT

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**parallel** and on-the-fly **processing** with transputers (TP). The First Level **Trigger** (FLT)

system is designed to start. **trigger processing** of a new event at ...

[www-zeus.desy.de/components/gtt/GTT/Conferences/IEEE03/rt03-sd-procs.pdf](http://www-zeus.desy.de/components/gtt/GTT/Conferences/IEEE03/rt03-sd-procs.pdf) -

[Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►  
 Result Page:    1   2   3   4   5   6   7   8   9   10    [Next](#)

Info when you want it, right on your desktop  
 Free! [Download Google Desktop](#)

Google

News

New lines of communication  
Financial Times    3 hrs ago

Email

Lunch tomorrow?  
Mandy M Y <...    11 min ago

61°F Clear - Mount

DJI 10434.87 -84.

Type to search

11:22 AM

trigger and transition table in a paral Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide**SEARCH**

## Nothing Found

Your search for **+"transition table" +"subject table" +parallel** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

## Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago